


## Produktschreibung Deltec E-Flow<sup>24V</sup>


Deltec E-Flow Aquarienpumpen sind seit Jahren erfolgreich am Markt etabliert. Im Zuge der Produktweiterentwicklung werden die E-Flow Pumpen sofort auch als 24 V Gleichstrompumpe angeboten. Die Regelung erfolgt bei den Typen 10,12 und R3 über den Deltec Controller E2. Mit diesem Controller können die Pumpen in 5 Watt Schritten von 0 - 130 Watt geregelt werden. Die neue E-Flow<sup>24V</sup> 16 wird in 10 Watt Schritten von 0 bis 180 Watt geregelt. Durch die Sinuswellen Ansteuerung der Pumpen sind diese fast unhörbar. Zudem besitzen die Pumpen eine 0-10V Schnittstelle.




## E-Flow<sup>24V</sup> 10




## E-Flow<sup>24V</sup> 12



## E-Flow<sup>24V</sup> R3



## E-Flow<sup>24V</sup> 16



## Produktdetails

- Höchst leistungsfähige Pumpe
- Sicherheit durch Niederspannung
- Nahezu unhörbar durch Sinuswellensteuerung
- Süß- und Seewasser geeignet
- Tauchbar
- Niedriger Stromverbrauch durch Leistungsregelung
- Regelbar

## Typen


- Deltec E-Flow<sup>24V</sup> 10
- Deltec E-Flow<sup>24V</sup> 12
- Deltec E-Flow<sup>24V</sup> R3
- Deltec E-Flow<sup>24V</sup> 16

## Product Description Aquarium pump Deltec E-Flow<sup>24V</sup>


Deltec E-Flow aquarium pumps have been successfully established on the market for years. In the course of further product development, the E-Flow pumps are also immediately available as 24 V DC pumps. For the types 10,12 and R3 the control is done by the Deltec Controller E2. With this controller the pumps can be controlled in 5 Watt steps from 0 - 130 Watt. The new E-Flow<sup>24V</sup> 16 is controlled in 10 Watt steps from 0 to 180 Watt. Due to the sine wave control of the pumps, they are almost inaudible. In addition, the pumps have a 0-10V interface.




## E-Flow<sup>24V</sup> 10




## E-Flow<sup>24V</sup> 12



## E-Flow<sup>24V</sup> R3



## E-Flow<sup>24V</sup> 16



## Product details

- Highly efficient pump
- Safety due low voltage operation
- Nearly whisper quiet operation due sine wave technology
- Suitable for freshwater and seawater
- Submersible
- Low power consumption due performance control
- Adjustable

## Types

- Deltec E-Flow<sup>24V</sup> 10
- Deltec E-Flow<sup>24V</sup> 12
- Deltec E-Flow<sup>24V</sup> R3
- Deltec E-Flow<sup>24V</sup> 16